

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	multiple near3 calibrat\$3 near3 circuit same controller same decoupl\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/21 15:28
L2	5	calibrat\$3 near3 circuit same controller same decoupl\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/21 15:31
L4	507	compar\$3 same register\$4 same modulat\$4 and ("455"/\$.ccls. or "375"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/21 16:40
L5	22	compar\$3 same register\$4 same modulat\$4 and ("455"/\$.ccls. or "375"/\$.ccls.) and DC near2 offset	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/21 16:41
S1	2	"20050221763".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/20 18:05
S2	168	compar\$3 same (controll\$3 or control\$3) same (calibrat\$3 or test\$3 or adjust\$3) and ("DC" or direct-current or direct near current) and (455/67.11 or 455/67.14 or 455/63.14 or 455/68 or 455/339 or 455/115.1 or 455/127.3 or 455/245.2 or 455/246.1 or 455/192.1 or 455/113 or 455/91)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/19 19:36

## EAST Search History

S3	144	compar\$3 same (controll\$3 or control\$3) same (calibrat\$3 or test\$3 or adjust\$3) and ("DC" or direct-current or direct near current) and (455/67.11 or 455/67.14 or 455/63.14 or 455/68 or 455/339 or 455/115.1 or 455/127.3 or 455/245.2 or 455/246.1 or 455/192.1 or 455/113 or 455/91) and (@ad<"20040331" or @prad<"20040331")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/19 19:07
S4	463	compar\$3 same (controll\$3 or control\$3) same (calibrat\$3 or test\$3 or adjust\$3) and (455/67.11 or 455/67.14 or 455/63.14 or 455/68 or 455/339 or 455/115.1 or 455/127.3 or 455/245.2 or 455/246.1 or 455/192.1 or 455/113 or 455/91)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/19 19:36
S5	19	compar\$3 same (controll\$3 or control\$3) same (calibrat\$3 or test\$3 or adjust\$3) and (455/67.11 or 455/67.14 or 455/63.14 or 455/68 or 455/339 or 455/115.1 or 455/127.3 or 455/245.2 or 455/246.1 or 455/192.1 or 455/113 or 455/91) and multiple near3 stage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/19 19:39
S6	5925	(455/67.11 or 455/67.14 or 455/63.14 or 455/68 or 455/339 or 455/115.1 or 455/127.3 or 455/245.2 or 455/246.1 or 455/192.1 or 455/113 or 455/91)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/19 19:39
S7	463	(455/67.11 or 455/67.14 or 455/63.14 or 455/68 or 455/339 or 455/115.1 or 455/127.3 or 455/245.2 or 455/246.1 or 455/192.1 or 455/113 or 455/91) and compar\$3 same (controll\$3 or control\$3) same (calibrat\$3 or test\$3 or adjust\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/19 19:39

## EAST Search History

S8	463	(455/67.11 or 455/67.14 or 455/63.14 or 455/68 or 455/339 or 455/115.1 or 455/127.3 or 455/245.2 or 455/246.1 or 455/192.1 or 455/113 or 455/91) and (calibrat\$3 or test\$3 or adjust\$3) same compar\$3 same (controll\$3 or control\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/20 18:38
S9	3	(455/67.11 or 455/67.14 or 455/63.14 or 455/68 or 455/339 or 455/115.1 or 455/127.3 or 455/245.2 or 455/246.1 or 455/192.1 or 455/113 or 455/91) and (calibrat\$3 or test\$3 or adjust\$3) same compar\$3 same (controll\$3 or control\$3) same multiple near2 stage and receiver same channel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/19 19:41
S10	105	(455/67.11 or 455/67.14 or 455/63.14 or 455/68 or 455/339 or 455/115.1 or 455/127.3 or 455/245.2 or 455/246.1 or 455/192.1 or 455/113 or 455/91) and (calibrat\$3 or test\$3 or adjust\$3) same compar\$3 same (controll\$3 or control\$3) same receiver	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/19 19:58
S11	539	(455/67.11 or 455/67.14 or 455/63.14 or 455/68 or 455/339 or 455/115.1 or 455/127.3 or 455/245.2 or 455/246.1 or 455/192.1 or 455/113 or 455/91) and (calibrat\$3 or test\$3) same receiver	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/20 19:13
S12	16	(455/67.11 or 455/67.14 or 455/63.14 or 455/68 or 455/339 or 455/115.1 or 455/127.3 or 455/245.2 or 455/246.1 or 455/192.1 or 455/113 or 455/91) and (calibrat\$3 or test\$3) same receiver same ("DC" near offset)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/19 20:00
S13	55	("5083304"   "5184349"   "5222144"   "5422909"   "5469115"   "5812025"   "5867063"   "5896064"   "6064193").PN. OR ("6321073").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/19 20:07

## EAST Search History

S14	84	(455/67.11 or 455/67.14 or 455/63.14 or 455/68 or 455/339 or 455/115.1 or 455/127.3 or 455/245.2 or 455/246.1 or 455/192.1 or 455/113 or 455/91) and (calibrat\$3 or test\$3) same receiver same multiple	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/19 20:36
S15	539	(455/67.11 or 455/67.14 or 455/63.14 or 455/68 or 455/339 or 455/115.1 or 455/127.3 or 455/245.2 or 455/246.1 or 455/192.1 or 455/113 or 455/91) and (calibrat\$3 or test\$3) same receiver	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/19 20:37
S16	371	(455/67.11 or 455/67.14 or 455/63.14 or 455/68 or 455/339 or 455/115.1 or 455/127.3 or 455/245.2 or 455/246.1 or 455/192.1 or 455/113 or 455/91) and (calibrat\$3 or test\$3) with receiver	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/19 20:37
S17	55	("5083304"   "5184349"   "5222144"   "5422909"   "5469115"   "5812025"   "5867063"   "5896064"   "6064193").PN. OR ("6321073").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/19 21:40
S18	58226	(calibrat\$4 or test\$3) same receiver	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/19 21:41
S19	14000	((calibrat\$4 or test\$3) same receiver).ab,ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/19 21:41
S21	87	((calibrat\$4 or test\$3) same receiver).ab,ti. and (455/67.11 or 455/67.14 or 455/63.14 or 455/68 or 455/339 or 455/115.1 or 455/127.3 or 455/245.2 or 455/246.1 or 455/192.1 or 455/113 or 455/91)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/19 21:47

## EAST Search History

S22	85	((calibrat\$4 or test\$3) same receiver).ab. and (455/67.11 or 455/67.14 or 455/63.14 or 455/68 or 455/339 or 455/115.1 or 455/127.3 or 455/245.2 or 455/246.1 or 455/192.1 or 455/113 or 455/91)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/19 21:47
S23	3	((calibrat\$4 or test\$3) same receiver).ab.ti. and ("DC" near3 offset) and 455/67.11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/19 21:49
S24	171	((calibrat\$4 or test\$3) same receiver).ab.ti. and ("DC" near3 offset)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/19 22:07
S25	1	((calibrat\$4 or test\$3) same receiver).ab.ti. and multiple near calibrat\$3 near3 circuit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/19 22:07
S26	39	((calibrat\$4 or test\$3) same receiver same DC near offset).ab, ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/19 22:14
S27	22	((calibrat\$4 or test\$3) with receiver with DC near offset).ab.ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/19 22:17
S28	133	multiple near2 calibrat\$4 with circuit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/19 22:18

## EAST Search History

S29	7	multiple near2 calibrat\$4 with circuit same control\$4 same compar\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/19 22:20
S30	53	multiple near2 calibrat\$4 with circuit same control\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/19 22:22
S32	2	multiple near2 calibrat\$4 with circuit same control\$4 and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/19 22:21
S33	2	multiple near2 calibrat\$4 with circuit and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/19 22:22
S35	133	multiple near2 calibrat\$4 with circuit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/19 22:23
S36	6	multiple near2 calibrat\$4 with circuit and multiple near stage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/19 22:25
S37	3	multiple near2 calibrat\$4 with circuit with multiple near stage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/19 22:26

## EAST Search History

S38	57	multiple near2 calibrat\$4 near3 circuit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/19 22:26
S39	3	multiple near2 calibrat\$4 near3 circuit same control\$3 with multiple stage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/19 22:27
S40	3	multiple near2 calibrat\$4 near3 circuit same control\$3 same multiple stage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/19 22:27
S41	3	multiple near2 calibrat\$4 near3 circuit same control\$3 same multiple stage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/19 22:28
S42	22	multiple near2 calibrat\$4 near3 circuit same control\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/19 22:28
S43	72	calibrat\$3 near3 circuit same filter\$3 near3 stage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/20 12:26
S44	1	multiple calibrat\$3 near3 circuit same filter\$3 near3 stage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/20 12:27

## EAST Search History

S45	10	multiple calibrat\$3 near3 circuit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/20 12:27
S46	55	("5083304"   "5184349"   "5222144"   "5422909"   "5469115"   "5812025"   "5867063"   "5896064"   "6064193").PN. OR ("6321073"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/20 12:39
S47	3	"7116138".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/20 18:29
S48	2	"20050221763".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/20 18:29
S49	1	(455/67.11 or 455/67.14 or 455/63.14 or 455/68 or 455/339 or 455/115.1 or 455/127.3 or 455/245.2 or 455/246.1 or 455/192.1 or 455/113 or 455/91) and (calibrat\$3 or test\$3) same receiver and decoupl\$3 same controller	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/20 18:40
S50	3	(455/67.11 or 455/67.14 or 455/63.14 or 455/68 or 455/339 or 455/115.1 or 455/127.3 or 455/245.2 or 455/246.1 or 455/192.1 or 455/113 or 455/91) and (calibrat\$3 or test\$3) same receiver and decoupl\$3 same bypass	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/20 19:02
S51	595	(455/67.11 or 455/67.14 or 455/63.14 or 455/68 or 455/339 or 455/115.1 or 455/127.3 or 455/245.2 or 455/246.1 or 455/192.1 or 455/113 or 455/91 or 375/319 or 455/251.1) and (calibrat\$3 or test\$3) same receiver	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/20 21:26

## EAST Search History

S52	10	(455/67.11 or 455/67.14 or 455/63.14 or 455/68 or 455/339 or 455/115.1 or 455/127.3 or 455/245.2 or 455/246.1 or 455/192.1 or 455/113 or 455/91 or 375/319 or 455/251.1) and (calibrat\$3 or test\$3) same receiver and decouple	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/20 19:21
S53	69	(455/67.11 or 455/67.14 or 455/63.14 or 455/68 or 455/339 or 455/115.1 or 455/127.3 or 455/245.2 or 455/246.1 or 455/192.1 or 455/113 or 455/91 or 375/319 or 455/251.1) and decouple	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/20 19:52
S54	6	(455/67.11 or 455/67.14 or 455/63.14 or 455/68 or 455/339 or 455/115.1 or 455/127.3 or 455/245.2 or 455/246.1 or 455/192.1 or 455/113 or 455/91 or 375/319 or 455/251.1) and decoupl\$3 same (controller or controler)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/20 19:55
S55	2	(455/67.11 or 455/67.14 or 455/63.14 or 455/68 or 455/339 or 455/115.1 or 455/127.3 or 455/245.2 or 455/246.1 or 455/192.1 or 455/113 or 455/91 or 375/319 or 455/251.1) and decoupl\$3 with (controller or controler)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/20 19:57
S56	0	(375/319 or 455/251.1).ccls. and decoupl\$3 with (controller or controler)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/20 19:57
S57	2209	decoupl\$3 with (controller or controler)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/20 19:58

## EAST Search History

S58	35	decoupl\$3 with (controller or controler) with receiver	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/20 20:07
S61	21	(decoupl\$3 or de near coupl\$3) and 375/319	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/20 20:36
S62	36	(decoupl\$3 or de near coupl\$3) and (375/319 or 455/251.1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/20 20:33
S65	4	(decoupl\$3 or de near coupl\$3) and (375/319 or 455/251.1) and bypass near signal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/20 20:39
S66	36	(decoupl\$3 or de near coupl\$3) and (375/319 or 455/251.1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/20 20:39
S67	1	(455/67.11 or 455/67.14 or 455/63.14 or 455/68 or 455/339 or 455/115.1 or 455/127.3 or 455/245.2 or 455/246.1 or 455/192.1 or 455/113 or 455/91 or 375/319 or 455/251.1) and (calibrat\$3 or test\$3) same receiver and (omni near directional or omni\$directional) near3 antenna same (bandpass or band near2 pass) near3 filter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/21 10:05

## EAST Search History

S68	0	(455/67.11 or 455/67.14 or 455/63.14 or 455/68 or 455/339 or 455/115.1 or 455/127.3 or 455/245.2 or 455/246.1 or 455/192.1 or 455/113 or 455/91 or 375/319 or 455/251.1) and (calibrat\$3 or test\$3) same (omni near directional or omni\$directional) near3 antenna same (bandpass or band near2 pass) near3 filter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/20 21:35
S69	362	(375/319 or 455/251.1).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/21 10:06
S70	51	(375/319 or 455/251.1).ccls. and controller same receiver	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/21 10:06
S72	4	(375/319 or 455/251.1).ccls. and controller same receiver and decoupl\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/21 10:08
S73	0	(375/319 or 455/251.1).ccls. and decoupl\$3 same controller same receiver	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/21 10:08
S74	1	(375/319 or 455/251.1).ccls. and bypass same controller same receiver	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/21 10:09

## EAST Search History

S75	51	(375/319 or 455/251.1).ccls. and controller same receiver	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/21 10:22
S76	9	(375/319 or 455/251.1).ccls. and (calibrat\$3 or test\$3) same receiver same (decoupl\$3 or disconnect\$3 or remov\$3 or detach\$3 or eliminat\$3 or separat\$3 or reduc\$3) same control\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/21 10:34
S77	9141	(calibrat\$3 or test\$3) same receiver same (decoupl\$3 or disconnect\$3 or remov\$3 or detach\$3 or eliminat\$3 or separat\$3 or reduc\$3) same control\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/21 10:35
S78	1240	(calibrat\$3 or test\$3) same receiver same (decoupl\$3 or disconnect\$3 or remov\$3 or detach\$3 or eliminat\$3 or separat\$3 or reduc\$3) same control\$4 and ("455"/\$.ccls. or "375"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/21 10:36
S79	80	(calibrat\$3 or test\$3) with receiver with (decoupl\$3 or disconnect\$3 or remov\$3 or detach\$3 or eliminat\$3 or separat\$3 or reduc\$3) with control\$4 and ("455"/\$.ccls. or "375"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/21 10:48
S80	4	(calibrat\$3 or test\$3) with receiver with decoupl\$3 with control\$4 and ("455"/\$.ccls. or "375"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/21 10:50
S81	28	(calibrat\$3 or test\$3) same receiver same decoupl\$3 same control\$4 and ("455"/\$.ccls. or "375"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/21 15:26